

Classical model HF-577IU3 Thoroughbred is an extralarge wood insert which continues the understated elegance of all Hi Flame stoves with its simple, yet stately, lines. Its refined cast iron surrounding panels add to its delicate beauty.

# **Specifications**

- Overall Efficiency: 72%
- Maximum Emissions: 6.8 g/h
- Maximum Output (EPA Test Wood): 43,138 BTU/h
- Maximum Output (Seasoned Cord Wood): 85,000 BTU/h
- Heating Area: Up to 2,500 Sq. Feet
- Firebox Size: 3.0 Cubic Feet
- Dimensions (HxWxD): 32"x44"x23"
- Maximum Log Length: 24" (600mm)
- Flue Size: 6" (150mm)
- Maximum Burn Time: Up to 9 hours
- Real Net Weight: 425Lbs (±5lbs)/193Kgs (±2kgs)











- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent Full View of Genuine Fire
- Advanced Furniture Quality Cast Iron Technique
- Large Enough to be a Primary Heat Source
- Top Flue Outlet



Modern model HF-5771U7 Highlander is an extra-large wood insert which is uniquely designed to fit in almost any fireplace without needing to use a surround, letting the beauty of the fireplace show through. The large glass window provides an excellent view of the fire as well as a room full of heat.









- Black Paint
- Black Enamel
- Brown Enamel


# **Specifications**

- Overall Efficiency: 72%
- Maximum Emissions: 6.8 g/h
- Maximum Output (EPA Test Wood): 43,138 BTU/h
- Maximum Output (Seasoned Cord Wood): 85,000 BTU/h
- Heating Area: Up to 2,500 Sq. Feet
- · Firebox Size: 3.0 Cubic Feet
- Dimensions (H x W x D): 27" x 33" x 22"
- Maximum Log Length: 24" (600mm)
- Flue Size: 6" (150mm)
- · Maximum Burn Time: Up to 9 hours
- Real Net Weight: 374Lbs (±5lbs)/170Kgs (±2kgs)

- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent Full View of Genuine
- · Advanced Furniture Quality Cast Iron Technique
- · Large Enough to be a Primary Heat Source
- · Top Flue Outlet











Classical Model HF-737U Stallion designed specifically for the American market provides the charm of New England design and enough heat for a large home. The double door design makes for easy loading and furniture like appearance.

## **Specifications**


- Overall Efficiency: 77%
- · Maximum Emissions: 4.9 g/h
- Maximum Output (EPA Test Wood): 38,000 BTU/h
- Maximum Output (Seasoned Cord Wood): 75,000 BTU/h
- Heating Area: Up to 2,100 Sq. Feet
- Firebox Size: 2.6 Cubic Feet
- Dimensions (H x W x D): 29 1/8" x 30"x 26"
- Maximum Log Length: 24" (600mm)
- Maximum Burn Time: Up to 8 hours
- Flue Size: 6" (150mm)
- Real Net Weight: 511Lbs (±5lbs)/232Kgs (±2kgs)






- EPA Approved and Tested to UL 1482-2010
- · Non-Catalytic Clean Burning System
- · Air Washed Glass for a Great View of Genuine Fire
- · Independent Ash Door for Easier Removal of Ash
- · Advanced Furniture Quality Cast Iron Technique
- · Large Enough to be a Primary Heat Source
- Top Flue Outlet









designed to heat multiple rooms. Based on New England design elements to provide classical elegance and beauty.

## **Specifications**

- Overall Efficiency: 72%
- Maximum Emissions: 6.5 g/hr
- Maximum Output (EPA Test Wood): 28,857 BTU/h
- Maximum Output (Seasoned Cord Wood): 63,000 BTU/h
- Heating Area: Up to 1,800 Sq. Feet
- Firebox Size: 2.0 Cubic Feet
- Dimensions (H x W x D): 33 1/2" x 25 1/2" x 23 3/4"
- Maximum Log Length: 16" (406mm)
- Flue Size: 6" (150mm)
- Maximum Burn Time: Up to 8 hours
- Real Net Weight: 414Lbs (±5lbs)/188Kgs (±2kgs)





The HF-717UA Appaloosa is a mid-sized cast iron stove









- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent Full View of Genuine
- Independent Ash Door for Easier Removal of Ash
- Steel Rear Heat Shield Enhances Air Convection and Allows Smaller Clearance
- Advanced Furniture Quality Cast Iron Technique
- Top Flue Outlet









Classical model HF-517U Pony is a cast iron wood burning stove based on New England design elements to provide classical elegance and beauty. Designed with top and rear vents to give installation flexibility, this is the right stove for any room heating needs.

# **Specifications**

- Overall Efficiency: 73%
- Maximum Emissions: 3.6 g/h
- Maximum Output (EPA Test Wood): 24,358 BTU/h
- Maximum Output (Seasoned Cord Wood): 37,000 BTU/h
- · Heating Area: Up to 1,200 Sq. Feet
- Firebox Size: 1.2 Cubic Feet
- Dimensions (H x W x D): 28 1/8" x 22 1/4" x 19"
- Maximum Log Length: 16" (406mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 306 Lbs (±5lbs)/139Kgs (±2kgs)



- Black Paint
- Black Enamel
  - Brown Enamel




- EPA Approved for Washington State and Tested to UL 1482-2010
- · Non-Catalytic Clean Burning System
- Air Washed Door Design for Clean Glass
- · Independent Ash Pan
- Steel Rear Heat Shield for Safety and Enhanced Air Convection
- Advanced Furniture Quality Cast Iron Technique
- Top or Rear Flue Outlet



Modern model HF-577DU Mustang is an extra-large wood burning stove with the charm of Nordic design. Mustang's solid cast iron construction, subtle detailing and supremely practical fire chamber along with easy-lock doors simply put it in a class of its own.









- Black Paint
- Black Enamel
- Brown Enamel

#### **Features**

- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for a Full View of Genuine Fire
- · Double Door Design for Easier Loading of Fuel
- Steel Rear Heat Shield Enhances Air Convection and Allows Smaller Clearance
- · Advanced Furniture Quality Casting Iron Technique
- Large Enough to be a Primary Heat Source
- Top Flue Outlet


# **Specifications**


- Overall Efficiency: 72%
- . Maximum Emissions: 6.8 g/h
- Maximum Output (EPA Test Wood): 43,138 BTU/h
- Maximum Output (Seasoned Cord Wood): 85,000 BTU/h
- Heating Area: Up to 2,500 Sq. Feet
- · Firebox Size: 3.0 Cubic Feet
- Dimensions (H x W x D): 32"x 31 1/2"x 23 1/2"
- Maximum Log Length: 24" (600mm)
- Flue Size: 6" (150mm)
- · Maximum Burn Time: Up to 9 hours
- Real Net Weight: 476Lbs (±5lbs)/216Kgs (±2kgs)











The HF-717U Appaloosa is a mid-sized cast iron stove designed to heat multiple rooms. Based on Nordic design elements to provide classical elegance and beauty.

## **Specifications**

- Overall Efficiency: 72%
- . Maximum Emissions: 6.5 g/hr
- Maximum Output (EPA Test Wood): 28,857 BTU/h
- Maximum Output (Seasoned Cord Wood): 63,000 BTU/h
- · Heating Area: Up to 1,800 Sq. Feet
- Firebox Size: 2.0 Cubic Feet
- Dimensions (H x W x D): 35 1/4" x 24" x 25 1/2"
- Maximum Log Length: 16" (406mm)
- Flue Size: 6" (150mm)
- Maximum Burn Time: Up to 8 hours
- Real Net Weight: 381 Lbs (±5lbs)/173Kgs (±2kgs)






- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- · Air Washed Glass for an Excellent View of Genuine Fire
- · Independent Ash Door for Easier Removal of Ash
- Steel Rear Heat Shield Enhances Air Convection and Allows Smaller Clearance
- Advanced Furniture Quality Cast Iron Technique
- Top Flue Outlet



Classical model HF-517UB Pony is a cast iron wood burning stove based on Nordic design elements to provide classical elegance and beauty. Designed with top and rear vents to give installation flexibility, this is the right stove for any room heating needs.









## **Features**

- EPA Approved for Washington State and Tested to UL 1482-2010
- · Non-Catalytic Clean Burning System
- · Air Washed Door Design for Clean Glass
- · Independent Ash Pan
- Steel Rear Heat Shield for Safety and Enhanced Air Convection
- · Advanced Furniture Quality Cast Iron Technique
- · Top or Rear Flue Outlet

## **Specifications**

- Overall Efficiency: 73%
- · Maximum Emissions: 3.6g/h
- Maximum Output (EPA Test Wood): 24,358 BTU/h
- Maximum Output (Seasoned Cord Wood): 37,000 BTU/h
- · Heating Area: Up to 1,200 Sq. Feet
- Firebox Size: 1.2 Cubic Feet
- Dimensions (H x W x D): 25 1/2" x 22 3/4" x 20"
- Maximum Log Length: 16" (406mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 282 Lbs (±5lbs)/128Kgs (±2kgs)






Model HF-905U Shetland is a small and smart wood burning stove of contemporary European styling. It features state-of-art clean burn pre-heated tertiary air which wrings out every last bit of heat from your fuel. The great efficiency, the convenience of a top flue, and an exquisite look make it a perfect room heater.





Black Paint

# **Features**

- EPA Approved For Washington State and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent View of Genuine Fire
- Steel Rear Heat Shield Enhances Air Convection and Allows Smaller Clearance
- Advanced Furniture Quality Cast Iron Technique
- · Top or Rear Flue Outlet









# **Specifications**


- Overall Efficiency: 85%
- · Maximum Emissions: 4.05 g/h
- Maximum Output (EPA Test Wood): 16,800 BTU/h
- Maximum Output (Seasoned Cord Wood): 21,000 BTU/h
- · Heating Area: Up to 800 Sq. Feet
- Firebox Size: 0.7 Cubic Feet
- Dimensions (H x W x D): 24"x 17 1/2"x 16 3/4"
- Maximum Log Length: 12" (300mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 174Lbs (±5lbs)/79Kgs (±2kgs)











Model HF-917UA Jameela is an elegant wood burning stove of contemporary European styling. Its clean and modern look is sure to bring a European touch to your room. Its unique warming shelf design always keeps your life cozy and warm. In addition, logs can be conveniently placed underneath the bottom firebox, making Jameela a practical and graceful heating source.

# **Specifications**

- · Overall Efficiency: 70%
- Maximum Output (EPA Test Wood): 30,330 BTU/h
- · Maximum Output (Seasoned Cord Wood): 37,600 BTU/h
- Heating Area: Up to 1220 Sq. Feet
- Firebox Size: 1.15 Cubic Feet
- Dimensions (H x W x D/mm): 43 1/2" x 22 1/4" x 20"
- Maximum Log Length: 12" (300mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 324Lbs (±5lbs)/147Kgs (±2kgs)




- Black Paint
- Black Enamel of Hob and Door




- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent View of Genuine Fire
- Unique Design of Coffee Heating Panel
- Convenient Wood Storage Box
- Double Steel Shells Allow Stronger Air Convection
- Advanced Furniture Quality Cast Iron Technique
- Top or Rear Flue Outlet









Model HF-917UB Ranger is an elegant wood burning stove of contemporary European styling. Its clean and modern look is sure to bring a European touch to your room. Its unique warming shelf design always keeps your life cozy and warm. Additionally, the design of pedestal adds to its European charm.

## **Specifications**

- · Overall Efficiency: 70%
- Maximum Output (EPA Test Wood): 30,330 BTU/h
- Maximum Output (Seasoned Cord Wood): 37,600 BTU/h
- · Heating Area: Up to 1220 Sq. Feet
- Firebox Size: 1.15 Cubic Feet
- Dimensions (H x W x D): 43 1/2" x 22 1/4" x 20"
- Maximum Log Length: 12" (300mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 344Lbs (±5lbs)/156Kgs (±2kgs)



- Black Paint
- Black Enamel of Hob, Door and Pedestal



- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- · Air Washed Glass for an Excellent View of Genuine Fire
- Unique Design of Coffee Heating Panel
- · Elegant Pedestal Style
- · Double Steel Shells Allow Stronger Air Convection
- · Advanced Furniture Quality Cast Iron Technique
- Top or Rear Flue Outlet




Model HF-917UD Hispano is an elegant wood burning stove of contemporary European styling. Its clean and modern look is sure to bring a European touch to your room. The design of pedestal adds to its European charm.









## **Specifications**

- Overall Efficiency: 70%
- Maximum Output (EPA Test Wood): 30,330 BTU/h
- · Maximum Output (Seasoned Cord Wood): 37,600 BTU/h
- Heating Area: Up to 1220 Sq. Feet
- Firebox Size: 1.15 Cubic Feet
- Dimensions (H x W x D): 37" x 22 1/2" x 20"
- Maximum Log Length: 12" (300mm)
- Flue Size: 6" (150mm)
- Real Net Weight: 306Lbs (±5lbs)/139Kgs (±2kgs)

#### **Features**

- EPA Approved and Tested to UL 1482-2010
- Non-Catalytic Clean Burning System
- Air Washed Glass for an Excellent View of Genuine Fire

Black Paint

Black Enamel of Hob,

Door and Pedestal

- Elegant Pedestal Style
- Double Steel Shells Allow Stronger Air Convection
- · Advanced Furniture Quality Cast Iron Technique
- Top Flue Outlet

